

2-DAY ONLINE AUCTION

Due to Closure
of the
Kearney, Nebraska
Manufacturing
Facility



**OVER 500 LOTS EACH DAY
- OVER 1,050 LOTS TOTAL!**

**Powder Coating, Toolroom,
Presses, Fabrication,
Compressors, Standby
Generators, Mobile Light Stands
& Maintenance Equipment**



NORDSON PAINT BOOTHS



POWDER COAT SYSTEM



LVD JS 2510 10' X 1/4"
HYDRAULIC SHEAR



AMADA PEGA 244 CNC TURRET PUNCH



VIEW OF COMPRESSORS



OKAMOTO ACCUGAR 124N HYDRAULIC
SURFACE GRINDER



OVER 300 NEW AND USED GENERATORS



(6) NEW PRAMAC MOBILE LIGHT GENERATORS



**PERFECTION
Industrial Sales**

www.perfectionindustrial.com

Online Bidding at www.perfectionindustrial.com

ph 847-427-3333
fax 847-427-8884

Sale is Being Held in
Conjunction With:



Ph 847-673-0570
www.allinindustrial.com

DAY 1 TO INCLUDE: PRESSES & COIL, CNC, FABRICATION & TOOL ROOM MACHINERY, COMPRESSORS, GENERATORS & MORE!



200 TON VERNON S2-200-75-42 STRAIGHT SIDE DOUBLE CRANK PRESS



75 TON GREENERD HCA-75-18R OPEN GAP C-FRAME HYDRAULIC PRESS



105 TON VERNON 7-1/2 OBG PRESS



80 TON FEDERAL NO. 7 OBI PRESS



60 TON MINSTER NO. 70-4 OBI PRESS



60 TON MINSTER NO.6 OBI PRESS

PRESSES

200 TON VERNON S2-200-75-42 STRAIGHT SIDE DOUBLE-CRANK PRESS, S/N 18231, 8" Stroke, 29" Shut Height, 4" Adj., 72" x 42" Bolster, 20/30 SPM, w/Loadgard TLG4500, Dual Palm Buttons Cushion

105 TON VERNON 7-1/2 OBG PRESS, S/N 14013, 1" Stroke, 17" Shut Height, 4" Adj., 39" x 30" Bolster, 35 SPM, Dual Palm Buttons, Cushion

80 TON FEDERAL NO. 7 OBI PRESS, S/N 703, 26" x 36" Bed, 75 SPM, 4" Stroke, 15" Throat, 3" Adj., 13.5" Die Space

60 TON MINSTER NO. 70-4 OBI PRESS, S/N 70-4-16084, 32" x 21" Bed, 90 SPM, 4" Stroke, 14" Shut Height

60 TON MINSTER NO.6 OBI PRESS, S/N 6-8938, 32" x 21" Bed, 45 SPM, 6" Stroke, 3" Adj

75 TON GREENERD HCA-75-18R OPEN GAP C-FRAME HYDRAULIC PRESS, S/N 04T6379, (2004), 32" x 18" Bed, 12" Throat, 24" Daylight, 18" Stroke

8 TON MULTIPRESS W-4R87-M, S/N M-4406, 1910 Max. PSI, 3-1/4" Dia. Piston

8 TON MULTIPRESS W-4R87-M, S/N M-3890, 1910 Max. PSI, 3-1/4" Dia. Piston



45 TON X 6' LVD 45 JS06-T PRESS BRAKE



VIEW OF MULTIPRESSES

FEEDERS, STRAIGHTENERS, & UNCOILERS

PRE PRESS ROOM EQUIPMENT PR-MD-06-PC2-CST FEEDER/STRAIGHTENER, S/N 0498-025, 6" Capacity

PRE PRESS ROOM EQUIPMENT PRD-124000-NAB DOUBLE END COIL REEL, S/N 0496-027, 4,000 Lb Max. Capacity, 72" Max. OD

FEED PRO UNCOILER, 72" Max. OD, 12" Max. Width

UNCOILER, 72" Max. OD, 12" Max. Width

DURANT FP-12SS12 12" FEEDER, S/N 0304



45 TON X 6' LVD 45 JS06-T PRESS BRAKE



VIEW OF AMADA TURRET TOOLING



PRE PRESS ROOM EQUIPMENT PRD-124000-NAB DOUBLE END COIL REEL



TASHING TSD-600 RADIAL ARM DRILL



VIEW OF PINES NO. 1 PIPE BENDERS



PRAMAC 1,000W WIND TURBINE - DAY 2



VIEW OF GENERATORS



VIEW OF NEW PALLET JACKS



BRIDGEPORT MILL



AMP IV-PLUS FULLY AUTOMATED LEAD MAKER

DAY 1 – Closing From: Wednesday, May 6, 2015 at 11:00 AM CT

CNC TURRET PUNCH

22 TON CAPACITY AMADA PEGA 244 CNC TURRET PUNCH, S/N AP440151, (1992), 22 Ton Capacity, 40 x 40" Max. Traverse, 48" x 100" Max. Sheet Size w/Repositioning, 231 Lb Max. Sheet Weight, (24) Station w/(2) Auto. Index, Thick Turret, w/Amada 04PC CNC Control

LARGE SELECTION OF AMADA PUNCHES AND DIES

PRESS BRAKES

88 TON AMADA 8020E CNC PRESS BRAKE, S/N 82000673, (1993), AMADA NC9-EXII CNC Back Gauge, 82" Max. Bending Length, 78.8" Bed Length, 66.9" Between Housings, 15.75" Throat

(2) 45 TON X 6' LVD 45 JS06-T PRESS BRAKES, S/N 20204 (1992) and 19336, (1991), 45 Ton Capacity, 78" Overall Bending Length, 64" Distance Between Housings, 3.9" Stroke Length, 11.8" Open Height, 7.8" Throat

LARGE ASSORTMENT OF PRESS BRAKE TOOLING

SHEAR

LVD JS 25/10 10' X 1/4" HYDRAULIC SHEAR, S/N 17462, (1990), 1/4" Capacity (Mild Steel), 120" Cutting Length, 16 SPM, Squaring Arm, Sheet Supports, Variable Stroke, Remote Electric Foot Switch, Flush Floor

PIPE BENDING

PINES NO. 1 PIPE BENDER, S/N 11030-94005, 1-1/2" x .188 Max. Capacity

PINES NO. 1 PIPE BENDER, S/N 11035-95002, 1-1/2" x .188 Max. Capacity, Programmable Dial-A-Bend Control

PINES NO. 1 PIPE BENDER, S/N 11035-95011, 1-1/2" x .188 Max. Capacity, Programmable Dial-A-Bend Control

PIPE BENDING TOOLING

TOOL ROOM MACHINERY

45 TON W.A. WHITNEY 609-563 AXLE SHEAR, S/N 40339

OKAMOTO ACCUGAR 124N HYDRAULIC SURFACE GRINDER, S/N 774N, 24" x 12" Max. Grinding Area, 12" Max. Clearance Under Wheel, Walker Chuck Control

BRIDGEPORT MILLING MACHINE, S/N BR259977, 9" x 48" Power Feed Table, 4,200 Max. RPM Spindle Speed

BRIDGEPORT MILLING MACHINE, S/N BR31814, 9" x 48" Table, 4,200 Max. RPM Spindle Speed, Acu-Rite Mill Mate DRO

TASHING TSD-600 RADIAL ARM DRILL, 30" Arm x 6-1/2" Column, 12" x 16" Box Table, 1,500 RPM Max. Spindle Speed

ENCO 16G X 48" BOX PAN BRAKE, S/N 19990602

MSC INDUSTRIAL 7" X 12" HORIZONTAL BAND SAW, 265 FPM Max. Blade Speed, 3/4 HP Motor

FRED J SWAINE NO. 5 SINGLE PUNCH, S/N 3431

PARKER H-FRAME SHOP PRESS, 33" x 27" Work Area, 2" Dia. Ram, Parker Hydraulic System and Cylinder

DAKE H-FRAME SHOP PRESS, 33" x 24" Work Area, 2-1/2" Dia. Ram

Large Selection of Arbor Presses, Drill Presses, Tooling, Collets, Cutters, Grinding Accessories, Granite Table, Welding Tables, Fume Hoods and Extractors

WIRE MACHINERY

(2) AMP IV-PLUS FULLY AUTOMATED LEAD MAKER

(2) AMP TYCO G ELECTRIC CRIMPING TERMINAL PRESAIR COMPRESSORS

AMP K TERMINAL PRESS

EUBANKS 4600 CABLE CUTTER

ALSO FEATURING: Huge Selection of Generators and Inverters up to 15,000W, Hand and Power Tools, Tool Chests, Tube Bending, Pipe Threading, Inspection and Test Equipment Assembly Line and More

DAY 2 FEATURING:
PAINT SYSTEM, SPRAY BOOTH AND GUNS, WIND TURBINE, VEHICLES, TRAILER, JIB CRANES, SHIPPING EQUIPMENT, ELECTRIC PALLET JACKS, HUGE SELECTION OF GENERATORS, PALLET JACKS, SAFETY LADDERS & MUCH MORE

DAY 2 – Closing From: Thursday, May 7, 2015 at 11:00 AM CT



(1 OF 2) GAS TANKS



(6) NEW PRAMAC MOBILE LIGHT GENERATORS



(8) JIB CRANES

NORDSON 400 POWDER PAINT BOOTH W/NORDSON VERSA SPRAYER II IPS AUTOMATIC POWDER SPRAY 8-GUN SYSTEM, Equipped w/(2) NORDSON Encore Manual Paint Guns, Booth Base Assembly, Poly Upper Housing, Automatic and Manual Gun Openings, Collector Module, 3' x 5' Opening

POWDER COAT SYSTEM W/PRECISION QUINCY 5-STAGE WASHER AND ELEVATED DRY OFF/CURE OVEN, S/N 11695, (1996), 3' x 5' Opening

DIP LINE

PRAMAC 1,000W WIND TURBINE

250 HP INGERSOLL RAND SSR-ERE250-2S ROTARY SCREW TYPE AIR COMPRESSOR, S/N EE1745U98313

200 HP INGERSOLL RAND SSR-EP200 ROTARY SCREW TYPE AIR COMPRESSOR, S/N F9838U94169

WELDING FUME EXTRACTORS AND HOODS

HUGE SELECTION OF GENERATORS UP TO 17,000W, Mobile Light Generators, Home Backup Generators

LARGE SELECTION OF SAFETY LADDERS, Fiberglass and Extension Ladders, Shop Fans and Cooling Systems

(10) DAYTON, ABELL-HOWE AND CONTRAX JIB CRANES from 1/4 to 1/2 Ton Capacity

Electric Walk-Behind Pallet Jacks, Large Selection of Pallet Jacks, Electric and Pneumatic Hoists

FORD F-700 FLAT BED TRUCK, VIN N70FV045707, 82,273 Miles

FORD F-150 PICK UP TRUCK, Triton V8, VIN 1FTRX17WXYNA37865

Trailers, Balers, Gas Tanks, and Yard Equipment



SAFETY LADDERS



VIEW PALLET JACKS



GENERATOR TRAILER



MANLIFT



GENERATORS



FORD F-700 FLATBED



FORD F-150



**PERFECTION
Industrial Sales**

Perfection Industrial Sales – 2550 Arthur Ave., Elk Grove Village, IL 60007
888.241.4577 (U.S. & Canada) – 847.427.3333 (outside U.S. & Canada) – 847.427.8884 (fax)
www.perfectionindustrial.com



Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

2-DAY ONLINE AUCTION

Due to Closure of the
Kearney, Nebraska
Manufacturing Facility



DAY 1

Closing From: Wednesday, May 6, 2015 at 11:00 AM CT
Location: 4970 Airport Road
Kearney, Nebraska 68847
Inspection: Tuesday, May 5, 2015
from 9:00 AM–4:00 PM CT

DAY 2

Closing From: Thursday, May 7, 2015 at 11:00 AM CT
Location: 4970 Airport Road
Kearney, Nebraska 68847
Inspection: Tuesday, May 5, 2015
from 9:00 AM–4:00 PM CT

2-DAY ONLINE AUCTION

OVER 500 LOTS EACH DAY – OVER 1,050 LOTS TOTAL!

DAY 1 –

Closing From: Wednesday, May 6, 2015
at 11:00 AM CT
Location: 4970 Airport Road
Kearney, Nebraska 68847
Inspection: Tuesday, May 5, 2015
from 9:00 AM–4:00 PM CT



88 TON AMADA 8020E CNC PRESS BRAKE

TERMS OF SALE

An 18% buyer's premium will be charged on all assets. The buyer's premium will be reduced to 15% for payments made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. Credit card payments are limited to a maximum of \$2,000. All items are sold "As is, Where is" without any warranties expressed or implied. Please visit www.perfectionindustrial.com for our full terms and conditions.

REMOVAL

All items must be removed by no later than Friday, May 22, 2015. Removal hours are from 8:00 AM to 4:00 PM CDT, Monday through Friday, or by special appointment. All items are sold as-is, where-is. Buyer is responsible for removal costs.

FOR FURTHER INFORMATION

For further information contact John Bopp at (708) 606-3240 or Email: john@perfectionindustrial.com

DAY 2 –

Closing From: Thursday, May 7, 2015
at 11:00 AM CT
Location: 4970 Airport Road
Kearney, Nebraska 68847
Inspection: Tuesday, May 5, 2015
from 9:00 AM–4:00 PM CT



VIEW OF COMPRESSORS

To discuss your requirements
for an auction,
please call Perfection Industrial
847.427.3333